Danner

- EST. 1932 -

2024 TACTICAL CATALOG

BUILT TO LAST.
MADE TO PERFORM.
SINCE 1932.

At Danner, we are craftsmen. We pay attention to details. We forgo quantity for quality, knowing the product we build is no better than the hands that create it. Our roots are in the Pacific Northwest and our boots are built with the most rugged conditions in mind.

We manufacture premium tactical and military footwear, using the highest quality materials without sacrificing comfort. The result? Footwear that stands up to the test of time and performs in all conditions.

A Danner boot is a mark of exceptional quality and lasting comfort. It has been for more than 80 years and will be for many more to come.

Welcome to our 2024 Collection.

Danner
- EST. 1932 -

GORE-TEX PRODUCTS
GORE

DANNER TACTICAL FOOTWEAR

WITH GORE-TEX TECHNOLOGY

FOOTWEAR BUILT FOR THE MOST DEMANDING CONDITIONS.

Since 1979, our partnership has been built on innovation and pushing the limits. We continue to innovate through material development, design standards and construction methods. Through rigorous testing and evaluation, we ensure our products do what we say they will do.

DURABLY WATERPROOF
Comfort and performance in the harshest conditions.

LIGHTWEIGHT
Agility and performance in active pursuits.

VERY BREATHABLE
Allows moisture vapor to escape while reducing heat and keeping feet dry, cool and comfortable.

RUGGED
Durable protection designed to be used in the most rugged terrain.

CHEMICAL RESISTANT
Protects against common battlefield contaminants like petroleum, oils and lubricant.

Danner

NEW DOWNRANGE



54021

LAST DLE

HEIGHT 6"

GORE-TEX WATERPROOF

Style No	Color / Pattern	Weight	Waterproof
54021	Black	53 oz	GORE-TEX

- Durable, full-grain leather and nylon upper
- Stitched rubber toe cap and heel for durability and abrasion resistance
- Cushioning PU footbed
- PU midsole for shock-absorption and cushioning
- Nylon shank
- Large metatarsal lug provides balance and support on uneven terrain
- Vibram® Downrange slip-resistant outsole features pentagonal lugs for versatile grip in all conditions

SIZES

D: 6-16 (½ thru 12) **EE:** 6-16 (½ thru 12)

FULLBORE LOW



20580

LAST DPDX

HEIGHT 3"

WATER-RESISTANT SUEDE

Style No	Color / Pattern	Weight	Waterproof
20580	Coyote	34 oz	-

- Water-resistant suede and mesh upper
- Breathable mesh lining
- Low-density PU footbed offers lightweight cushioning and lasting durability
- Vibram® SPE midsole for maximum rebound, comfort and support
- Nylon shank
- Vibram® Fuga outsole with Megagrip technology offers superior grip on wet and dry surfaces

SIZES

D: 6-15 (½ thru 12); **EE:** 6-15 (½ thru 12)

FULLBORE

DANNER® DRY vibram MEGAGRIP



20511



20512

LAST DPDX | **HEIGHT** 4.5"

DANNER® DRY WATERPROOF

Style No	Color / Pattern	Weight	Waterproof
20511	Black	42 oz	Danner® Dry

WATER-RESISTANT SUEDE

Style No	Color / Pattern	Weight	Waterproof
20512	Coyote	42 oz	-

- Full-grain leather and Polishable toe [20511]
- Breathable mesh lining
- Low-density PU footbed offers lightweight cushioning and lasting durability
- Vibram® SPE midsole for maximum rebound, comfort and support
- Nylon shank
- Vibram® Fuga outsole with Megagrip technology offers superior grip on wet and dry surfaces

SIZES

D: 6-15 (½ thru 12); **EE:** 6-15 (½ thru 12)

INSTINCT TACTICAL

DANNER® DRY Thinsulate Ultra INSULATION BOUNDLITE



25331

25331

25332

LAST DT6	**HEIGHT** 8"

DANNER® DRY WATERPROOF

Style No	Color / Pattern	Insulation	Weight	Waterproof
25331	Black	-	51 oz	Danner® Dry
25332	Black	400G	54 oz	Danner® Dry

- Durable, waterproof polishable leather or water-resistant suede and ripstop nylon upper
- Instinct series features a Danner® Dry waterproof liner, which has been tested for body fluid borne pathogen resistance and meets or exceeds ASTM F1671-18 standards
- Select styles available with Thinsulate™ Ultra Insulation
- Semi-locking YKK® Side-Zip
- Danner® Boundlite platform provides superior rebound and comfort underfoot
- PerfX PU footbed offers lightweight cushioning, lasting durability and breathability
- Low density PU midsole offers shock absorption and lasting rebound
- Nylon shank
- Danner® Instinct slip-resistant rubber outsole with pentagonal lugs offers stability and superior traction
- Insulated style features FrostTrekker rubber compound for traction in cold weather

SIZES

D: 6-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]

RESURGENT TACTICAL

DANNER® DRY



50111

LAST DLE-01	HEIGHT 8"

DANNER® DRY WATERPROOF

Style No	Color / Pattern	Weight	Waterproof
50111	Black	32 oz	Danner® Dry

- Leather and Perspair® upper provides superior abrasion-resistance and durability in a lightweight construction
- Danner® Dry liner has been tested for body fluid borne pathogen resistance and meets or exceeds ASTM F1671-18 standards
- Polishable toe
- Low-density PU footbed offers lightweight cushioning and lasting durability
- Resurge low-density EVA midsole provides superior rebound and energy return with minimal weight
- Exclusive Vibram® Resurgent slip-resistant outsole features large pentagonal lugs for stability in varying conditions

SIZES

D: 6-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]

TACHYON

50122

50120

50124

LAST DLE-01	**HEIGHT** 8"

GORE-TEX WATERPROOF

Style No	Color / Pattern	Weight	Waterproof
50122	Black	35 oz	GORE-TEX

NON-WATERPROOF [MOISTURE-WICKING MESH LINING]

Style No	Color / Pattern	Weight	Waterproof
50120	Black	26 oz	-
50124	Black	26 oz	-

- Polishable toe (50122, 50124)
- Speed lacing system for secure, enhanced fit
- Cushioning PU footbed
- EVA cushioning and shock-absorbing midsole
- Nylon shank
- Athletic fit with generous toe box
- Danner® Tachyon slip-resistant rubber outsole with low pentagonal lug pattern offers superior ground contact

SIZES

50120, 50122	**D:** 3-16 [½ thru 12]; **EE:** 3-16 [½ thru 12]
50124	**D:** 8-15 [½ thru 12]; **EE:** 9-14 [½ thru 12]

STRIKER® BOLT

26633

26630

LAST 851

HEIGHT 4.5" [26630]; 8" [26633]

GORE-TEX WATERPROOF

Style No	Color / Pattern	Weight	Waterproof
26630	Black	53 oz	GORE-TEX
26633	Black	61 oz	GORE-TEX

- Durable, polishable, PU coated leather and nylon upper
- Lace garage
- Cushioning PU footbed
- TERRA FORCE® NEXT™ platform combines an internal and external shank system which helps to provide arch support and torsion control.
- Vibram® SPE midsole for maximum rebound, comfort and support
- Bi-Fit stability board for underfoot comfort, reduced weight and added forefoot flex
- Vibram® Striker® Bolt outsole is slip-resistant and offers maximum surface contact while gripping on and off pavement

SIZES

D: 6-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]

STRIKER® BOLT SIDE-ZIP



26635

LAST 851

HEIGHT 6" [26635]; 8" [26634]

GORE-TEX WATERPROOF

Style No	Color / Pattern	Weight	Waterproof
26634	Black	61 oz	GORE-TEX
26635	Black	56 oz	GORE-TEX

- Durable, polishable, PU coated leather and nylon upper
- GORE-TEX waterproof breathable lining
- Semi-locking YKK® side-zip
- Lace garage
- Cushioning PU footbed
- TERRA FORCE® NEXT™ platform combines an internal and external shank system which helps to provide arch support and torsion control.
- Vibram® SPE midsole for maximum rebound, comfort and support
- Bi-Fit stability board for underfoot comfort, reduced weight and added forefoot flex
- Vibram® Striker® Bolt outsole is slip-resistant and offers maximum surface contact while gripping on and off pavement

SIZES

D: 6-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]

26635



26634

SCORCH SIDE-ZIP

DANNER® DRY Ortholite® PLYOLITE



25731

25730

25732

25733

LAST 1368	HEIGHT 6" [25730, 25731]; 8" [25732, 25733]

DANNER® DRY WATERPROOF

Style No	Color / Pattern	Weight	Waterproof
25731	Black	43 oz	Danner® Dry
25733	Black	45 oz	Danner® Dry

NON-WATERPROOF [BREATHABLE MESH LINING]

Style No	Color / Pattern	Weight	Waterproof
25730	Black	37 oz	-
25732	Black	40 oz	-

- Lightweight, strategically patterned upper for maximum air circulation (mesh panels are transparent and may reveal sock color or pattern on non-waterproof styles)
- Danner® Dry options have been tested for body fluid borne pathogen resistance and meets or exceeds ASTM F1671-18 standards
- Semi-locking YKK® Side-Zip
- Polishable toe
- Speed lacing for quick adjustments
- Cushioning open-cell OrthoLite® footbed
- Danner® Plyolite® EVA midsole offers lasting support and rebound
- Nylon shank
- Danner® Scorch outsole is slip resistant and designed with a stability control arch

SIZES

D: 6-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]

PROWESS



22311

LAST DT5 | **HEIGHT** 8″

NON-WATERPROOF

Style No	Color / Pattern	Weight	Waterproof
22311	Coyote	32 oz	-

- **Meets AR 670-1 [Army] and AFI 36-2903 [Air Force] requirements for optional wear**
- Designed specifically for women
- Suede or full-grain leather and 1000 denier nylon upper
- Breathable mesh lining
- Optional semi-locking side zip
- Cushioning PU footbed
- Lightweight, shock-absorbing EVA midsole
- Danner® Tanicus slip-resistant outsole with pentagonal lug pattern offers superior durability and stability

SIZES

Women's M: 5-12 [½ thru 10]; **W:** 5-11 [/2 thru 10]

LOOKOUT / LOOKOUT SIDE-ZIP

DANNER® DRY Thinsulate Ultra INSULATION //DCS

23822

23824

23827

LAST DCP1-H

HEIGHT 8"

DANNER® DRY WATERPROOF

Style No	Color / Pattern	Insulation	Weight	Waterproof
23822	Black	-	56 oz	Danner® Dry
22824	Black Side-Zip	-	56 oz	Danner® Dry
23827	Black	800G	66 oz	Danner® Dry

- Durable, waterproof, polishable leather upper with ripstop ballistic nylon
- Anatomical design and broader toe box for a more responsive fit
- Lookout series features a Danner® Dry waterproof liner, which has been tested for body fluid borne pathogen resistance and meets or exceeds ASTM F1671-18 standards
- Select styles available with Thinsulate™ Ultra Insulation
- Patented dual-density footbed for cushioning and underfoot air circulation, with an Airthotic® heel clip for support
- Nylon shank
- Danner® Comfort System platform offers superior comfort, support and durability
- Danner® Lookout slip-resistant outsole with low pentagonal lug pattern offers superior traction and maneuverability
- Insulated style features FrostTrekker rubber compound for traction in cold weather [23827]

SIZES

D: 6-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]

LOOKOUT EMS/CSA SIDE-ZIP

DANNER® DRY //DCS

23826

LAST DCP1-H | **HEIGHT** 8"

DANNER® DRY WATERPROOF

Style No	Color / Pattern	Weight	Safety Toe	Waterproof
23826	Black	58 oz	NMT	Danner® Dry

- Durable, waterproof, polishable leather upper
- Anatomical design and broader toe box for a more responsive fit
- Lookout series features a Danner® Dry waterproof liner, which has been tested for body fluid borne pathogen resistance and meets or exceeds ASTM F1671-18 standards
- Semi-locking side-zip
- Patented dual-density footbed for cushioning and underfoot air circulation, with an Airthotic® heel clip for support
- Nylon shank
- Danner® Comfort System platform offers superior comfort, support and durability
- Danner® Lookout slip-resistant outsole with low pentagonal lug pattern offers superior traction and maneuverability
- Non-metallic toe meets or exceeds ASTM F2413-18 I/C EH
- Puncture resistant midsole CSA certified to -2195

SIZES

B: 3-16 [½ thru 12]; **D:** 3-16 [½ thru 12]; **EE:** 3-16 [½ thru 12]

ACADIA®



21210, 22500, 22600, 69210

LAST 650, 516 [22500]	**HEIGHT** 8"

GORE-TEX WATERPROOF

Style No	Color / Pattern	Weight	Insulation	Safety Toe	Waterproof
21210	Black	66 oz	-	-	GORE-TEX
22500	Black	70 oz	-	NMT	GORE-TEX
22600	Black	69 oz	400G	-	GORE-TEX
69210	Black	66 oz	200G	-	GORE-TEX

- **Made in the USA**
- Durable, waterproof, polishable full-grain leather upper with lightweight 1000 denier nylon
- Select styles available with Thinsulate™ and Thinsulate™ Ultra Insulation
- Lace-to-toe design for secure fit
- Fiberglass shank
- Handcrafted, stitchdown construction for strength and stability
- Vibram® 148 Kletterlift oil-and-slip-resistant outsole offers superior traction, stability and shock absorption
- Non-metallic toe meets or exceeds ASTM F2413-18 I/C EH
- Recraftable

SIZES	
21210	**B:** 8-14 [½ thru 12]; **D:** 7-16 [½ thru 12]; **EE:** 6-15 [½ thru 12]; **EEEE:** 8-14 [½ thru 12]; **WOMEN'S M:** 5-10 [½ thru 10]
22500	**D:** 7-14 [½ thru 12]; **EE:** 6-13 [½ thru 12]
22600, 69210	**B:** 8-14 [½ thru 12]; **D:** 7-15 [½ thru 12]; **EE:** 6-13 [½ thru 12]; **WOMEN'S M:** 5-10 [½ thru 10]

RECON

LAST 650 | **HEIGHT** 8"



69410

GORE-TEX WATERPROOF

Style No	Color / Pattern	Insulation	Weight	Waterproof
69410	Black	200G	66 oz	GORE-TEX

- **Made in the USA**
- Durable, waterproof, polishable full-grain leather upper
- Thinsulate™ Insulation
- Lace-to-toe design for secure fit
- Fiberglass shank
- Handcrafted, stitchdown construction for strength and stability
- Vibram® 148 Kletterlift oil-and-slip-resistant outsole offers superior traction, stability and shock absorption
- Recraftable

SIZES

D: 7-15 [½ thru 12]; **EE:** 6-14 [½ thru 12]; **WOMEN'S M:** 5-10 [½ thru 10]

PATROL



25200

LAST 650

HEIGHT 6"

GORE-TEX WATERPROOF

Style No	Color / Pattern	Weight	Safety	Waterproof
25200	Black	64 oz	EH	GORE-TEX

- **Made in the USA**
- Durable, waterproof, polishable full-grain leather upper with lightweight 1000 denier nylon
- Lace-to-toe design for secure fit
- Fiberglass shank
- Handcrafted, stitchdown construction for strength and stability
- Vibram® 1276 Sierra oil-and-slip-resistant outsole for traction in diverse terrain
- Recraftable

SIZES

D: 7-15 [½ thru 12]; **EE:** 6-13; **WOMEN'S M:** 5-10 [½ thru 10]

FORT LEWIS



29110, 69110

LAST 650

HEIGHT 10"

GORE-TEX WATERPROOF

Style No	Color / Pattern	Insulation	Weight	Waterproof
29110	Black	-	74 oz	GORE-TEX
69110	Black	200G	74 oz	GORE-TEX

- **Made in the USA**
- Durable, waterproof, polishable full-grain leather upper
- Select styles available with Thinsulate™ Insulation
- Lace-to-toe design for secure fit
- Fiberglass shank
- Handcrafted, stitchdown construction for strength and stability
- Vibram® 148 Kletterlift oil-and-slip-resistant outsole offers superior traction, stability and shock absorption
- Recraftable

SIZES

29110	**D:** 7-15 [½ thru 12]; **EE:** 6-13 [½ thru 12]; **WOMEN'S M:** 5-10 [½ thru 10]
69110	**B:** 8-14 [½ thru 12]; **D:** 7-15 [½ thru 12]; **EE:** 6-13 [½ thru 12]; **WOMEN'S M:** 5-10 [½ thru 10]

RECKONING

26411

LAST 851

HEIGHT 8"

NON-WATERPROOF

Style No	Color / Pattern	Weight	Waterproof
26411	Black	51 oz	-

- **Made in the USA**
- Durable, full-grain, polishable leather with lightweight 1000 denier nylon
- Breathable, moisture-wicking air mesh lining and ventilation technology for hot weather
- Double rivet speed lacer for secure heel lock with Lace-to-Toe upper design for adjustable fit
- Fiberglass shank
- Innovative Danner® Vibram® All-Terrain (DAT) platform: PU midsole for shock absorption and rubber outsole engineered for high mileage durability
- Omni-directional pentagonal outsole lug pattern gives superior traction from all different angles
- Double bevel tread to prevent debris from compacting in outsole
- Arch Tech grip design provides traction and grip used for climbing

SIZES

D: 6-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]

KINETIC / KINETIC SIDE-ZIP

28010

28012

28017

LAST 1368

HEIGHT 6" [28017]; 8" [28010, 28012]

GORE-TEX WATERPROOF

Style No	Color / Pattern	Weight	Waterproof
28010	Black	53 oz	GORE-TEX
28012	Black Side-Zip	53 oz	GORE-TEX
28017	Black Side-Zip	50 oz	GORE-TEX

- Durable, waterproof, polishable full-grain leather upper with ripstop ballistic nylon
- Speed lacing system for a secure, enhanced fit
- Cushioning PU footbed
- PU midsole
- Nylon shank
- Danner® Kinetic slip-resistant rubber outsole offers superior surface contact and traction

SIZES

28010	**D:** 6-16 [½ thru 12]; **EE:** 7-14 [½ thru 12]
28012, 28017	**D:** 6-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]

SCORCH MILITARY

Ortholite® **PLYOLITE**



53661

LAST 1368	**HEIGHT** 8"

NON-WATERPROOF

Style No	Color / Pattern	Weight	Waterproof
53661	Coyote	42 oz	-

- **Meets AR 670-1 (Army) and AFI 36-2903 (Air Force) requirements for optional wear**
- Cattlehide suede and 1000 denier nylon
- Breathable mesh lining
- Speed lacing for quick adjustments
- Cushioning open-cell OrthoLite® footbed
- Danner® Plyolite® EVA midsole offers lasting support and rebound
- Nylon shank
- Danner® Scorch outsole is slip resistant and designed with a stability control arch

SIZES

D: 8-15 [½ thru 12]; **EE:** 9-14 [½ thru 12]

DESERT TFX® G3



24323

LAST 851	HEIGHT 8"

GORE-TEX WATERPROOF

Style No	Color / Pattern	Weight	Waterproof
24323	Coyote	53 oz	GORE-TEX

- **Meets AR 670-1 (Army) and AFI 36-2903 (Air Force) requirements for optional wear**
- Durable, rough-out leather upper with lightweight 1000 denier nylon
- Variable lacing system with lace garage for customizable fit
- Nylon shank
- Danner® TFX-8 platform with cross-stitch design offers added durability and stability in the lateral toe and medial heel pivot zones
- Vibram® Striker® Torrent oil-and-slip-resistant 360° low pentagonal lugged outsole offers grip in all directions with a flex notch design in key pivot areas and a more rugged outer lug pattern which sheds water and provides maximum surface contact

SIZES

D: 6-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]

TANICUS

55316, 55317, 55322, 55325

55322, 55325

LAST 851

HEIGHT 8"

DANNER® DRY WATERPROOF

Style No	Color / Pattern	Weight	Insulation	Safety Toe	Waterproof
55317	Coyote	42 oz	-	-	Danner® Dry
55325	Coyote Side-Zip	58 oz	400G	NMT	Danner® Dry

NON-WATERPROOF [BREATHABLE, MOISTURE-WICKING MESH LINING]

Style No	Color / Pattern	Weight	Insulation	Safety Toe	Waterproof
55316	Coyote	38 oz	-	-	-
55322	Coyote Side-Zip	53 oz	-	NMT	-

SIZES

Style	Sizes
55316	**D:** 6-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]
55317	**D:** 3-16 [½ thru 12]; **EE:** 3-16 [½ thru 12]
55322	**D:** 3-16 [½ thru 12]; **EE:** 5-16 [½ thru 12]
55325	**D:** 3-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]

- **Meets AR 670-1 (Army) and AFI 36-2903 (Air Force) requirements for optional wear**
- Durable, rough-out leather upper with lightweight 1000 denier nylon
- Select styles available with Thinsulate™ Ultra Insulation
- Optional semi-locking side-zip
- Cushioning PU footbed
- Bi-Fit stability board for underfoot comfort, reduced weight and added forefoot flex
- Danner® Tanicus slip-resistant outsole with pentagonal lug pattern offers superior durability and stability
- Non-metallic toe meets or exceeds ASTM F2413-18 I/C EH

RIVOT TFX®



51514, 51516

51510, 51512, 51513

LAST 851	**HEIGHT** 8"

GORE-TEX WATERPROOF

Style No	Color / Pattern	Weight	Insulation	Safety Toe	Waterproof
51514	Coyote	56 oz	400G	-	GORE-TEX
51516	Coyote	58 oz	400G	-	GORE-TEX

NON-WATERPROOF [MOISTURE-WICKING AIR MESH LINING & VENTILATION]

Style No	Color / Pattern	Weight	Insulation	Safety Toe	Waterproof
51510	Coyote	54 oz	-	-	-
51512	Coyote	56 oz	-	NMT	-
51513	Coyote	56 oz	-	STF	-

SIZES

51510, 51514	**D:** 6-16 [½ thru 12]; **EE:** 6-16 [½ thru 12]
51512	**D:** 6-14 [½ thru 12]; **EE:** 6-14 [½ thru 12]
51513	**D:** 6-16 [½ thru 12]; **EE:** 6-14 [½ thru 12]
51516	**Women:** M: 5-11 [½ thru 10]

- **Made in the USA**
- **Meets AR 670-1 (Army) and AFI 36-2903 (Air Force) requirements for optional wear**
- **Certified USAF Safe To Fly requirements for optional wear:**
  - Fire resistant treated rough out leather
  - Vibram® Fire and Ice outsole material compound to withstand extreme temperatures
- Durable, rough-out leather upper with lightweight 1000 denier nylon
- Select styles available with Thinsulate™ Ultra Insulation
- Speed lacing system for secure, enhanced fit
- Cushioning PU footbed
- Fiberglass shank
- TERRA FORCE® X platform offers lightweight performance and stability
- Vibram® Rivot TFX 360° lugged outsole offers superior grip and mobility for increased pivot movements
- Non-metallic toe meets or exceeds ASTM F2413-18 I/C EH

RECKONING



53225

53214

53231

53221, 53223, 53227

53214, 53231

LAST 851	**HEIGHT** 8"

GORE-TEX WATERPROOF

Style No	Color / Pattern	Weight	Insulation	Safety Toe	Waterproof
53214	Coyote/EGA	50 oz	-	-	GORE-TEX
53225	Coyote	53 oz	400G	-	GORE-TEX

NON-WATERPROOF [MOISTURE-WICKING AIR MESH LINING & VENTILATION]

Style No	Color / Pattern	Weight	Insulation	Safety Toe	Waterproof
53221	Coyote	50 oz	-	-	-
53223	Coyote	54 oz	-	NMT	-
53227	Coyote	50 oz	-	STF	-
53231	Coyote/EGA	50 oz	-	-	-

SIZES

53214, 53221, 55327, 53231	**D:** 3-16 [½ thru 12]; **EE:** 3-16 [½ thru 12]
53223, 53225	**D:** 5-14 [½ thru 12]; **EE:** 5-14 [½ thru 12]

GORE-TEX PRODUCTS Thinsulate Ultra INSULATION vibram SAFE TO FLY DANNER

- **Made in the USA [Berry Compliant]**
- **USMC Certified with Eagle, Globe and Anchor emblem**
- **Meets AR 670-1 (Army) and AFI 36-2903 (Air Force) requirements for optional wear**
- **Certified USAF Safe To Fly requirements for optional wear:**
  - **Fire resistant treated rough out leather**
  - **Vibram® Fire and Ice outsole material compound to withstand extreme temperatures**
- Select styles available with Thinsulate™ Ultra Insulation
- Durable, rough-out leather with lightweight 1000 denier nylon
- Double rivet speed laces for secure heel lock with lace-to-toe upper design for adjustable fit
- Fiberglass shank
- Innovative Vibram® All-Terrain DAT platform: PU midsole for shock absorption and rubber outsole engineered for high mileage durability
- Omni-directional pentagonal outsole lug pattern gives superior traction from all different angles
- Double bevel tread to reduce debris from compacting
- Arch Tech grip design provides traction and grip used for climbing
- Non-metallic toe meets or exceeds ASTM F2413-18 I/C EH [53223]

MARINE EXPEDITIONARY BOOT


53111

53110

53117

LAST 610	**HEIGHT** 8"

GORE-TEX WATERPROOF

Style No	Color / Pattern	Weight	Safety Toe	Waterproof
53111	Mojave	70 oz	-	GORE-TEX

NON-WATERPROOF [MOISTURE-WICKING AIR MESH LINING & VENTILATION]

Style No	Color / Pattern	Weight	Safety Toe	Waterproof
53110	Mojave	70 oz	-	-
53117	Mojave/Aviator	74 oz	ST	-

SIZES

R: 3-16; W: 3-16

- **Made in the USA**
- **USMC Certified with Eagle, Globe and Anchor emblem**
- Durable, nubuck leather upper with lightweight 1000 denier nylon
- Speed lacing system with lace-to-toe design for secure fit
- Cushioning PU footbed
- Fiberglass shank
- Handcrafted, stitchdown construction for strength and stability
- Vibram® 360 outsole with Dri-Ice compound offers superior traction in rugged and cold-weather environments
- Marine Expeditionary Boot - Aviator features a Vibram® 1276 Sierra outsole for traction in diverse terrain
- Steel toe meets or exceeds ASTM F2413-18 I/C EH
- Recraftable

TACHYON



50136

LAST DLE-01	HEIGHT 8"

NON-WATERPROOF

Style No	Color / Pattern	Weight	Waterproof
50136	Coyote	26 oz	-

- **Meets AR 670-1 (Army) and AFI 36-2903 (Air Force) requirements for optional wear**
- Durable, rough-out leather upper with lightweight 500 denier nylon
- Speed lacing system for secure, enhanced fit
- Cushioning, open-cell PU footbed
- EVA cushioning and shock-absorbing midsole
- Nylon shank
- Danner® Tachyon slip-resistant rubber outsole with pentagonal lug pattern offers superior ground contact

SIZES

D: 3-16 [½ thru 12]; **EE:** 3-16 [½ thru 12]

PERFORMANCE TESTING

TESTED. TRUSTED. TRUE.

Our partnership is built on innovation and pushing the limits. Through rigorous testing and evaluation, we ensure our products do what we say they will do and meet industry requirements expected by our end users.

Each footwear style is subject to a series of performance tests based off of our Fitness For Use (FFU) criteria to ensure each style will perform to the industry or end user requirements.

Walking Simulator Test

Each product is fully submerged in water and flexed (to simulate walking) for a certain amount of time based off of its FFU criteria.



Centrifuge Test

Helps to determine if the construction of the shoe is waterproof. We fill the shoe with water and spin it in the centrifuge machine.



Material Wicking test

Ensures materials used in the construction of the footwear do not absorb water.

Breathability Comfort Test

Designed specifically to test the breathability of the finished product. Taking material, design and construction into consideration.

TFX® HOT WEATHER DRYMAX®

H50201, H50203, H50211, H50212

SIZE S, M, L, XL

Style No	Color	Height	Weight
H50201	Foliage Green	Over-Calf	Lightweight
H50203	Coyote Brown	Over-Calf	Lightweight
H50211	Black	Over-Calf	Lightweight
H50212	Black	Crew	Lightweight

- **Made in the USA [Berry Compliant]**
- Drymax® wicks away moisture to keep feet up to 25 times drier than polyester, acrylic, nylon or wool
- Microzap silver in Drymax® is antimicrobial for odor control

MATERIALS

All Styles Polyester 52%, Drymax® Olefin 27%, Elastane 12%, Nylon 9%

SOCK SIZING CHART

	S	M	L	XL
Men		6-8.5	9-12	12.5-15
Women	4-6.5	7-9.5	10+	

LACES

Style No	Color	Eyes/Length
70012	Coyote	26/86"
70020	Black	14/54"
70021	Black	18/63"
70024	Mojave Olive	20/72"
70028	Black	20/72"
70029	Black	26/84"


Danner
SINCE 1932
PREMIUM LACES
Danner
SINCE 1932
PREMIUM LACES
Danner
SINCE 1932
PREMIUM LACES

LACE-IN BOOT ZIPPER

79301



79300

Style No	Length
79300	8"
79301	6"

- **Made in USA**
- Laces into your boots for quick entry and exit and consistent fit

DANNER® BOOT CARE SYSTEM

Danner
WATERPROOFING
BOOT CARE
FULL-GRAIN LEATHER

97002

Danner
WATERPROOFING
BOOT CARE
NUBUC · SUEDE FABRIC

97003

Danner
SUEDE & LEATHER
CLEANER

90661

Danner
SUEDE & NUBUCK
WATERPROOFING
CONDITIONER

99329

Style No	Product	Volume
97002	Waterproofing Gel	4 oz
97003	Waterproofing Spray	4 oz
90661	Suede & Leather Cleaner	5 oz
99329	Suede & Nubuck Conditioner	3.4 oz

- Danner® waterproofing gel provides a breathable waterproof barrier for full-grain leather
- Danner® waterproofing spray blocks water from the outside while letting moisture escape from the inside, making it a great choice for suede or nubuck leather
- Danner® suede & leather cleaner is formulated to clean all types of genuine smooth, textured, suede, and nubuck leather
- Danner® waterproofing conditioner nourishes and conditions suede and nubuck, and provides a waterproof barrier

BOOT DRESSING

Danner
BOOT DRESSING

97111

Danner
BOOT DRESSING

97112

Danner
BOOT DRESSING

97113

Danner
BROWN BOOT
DRESSING

97401

Danner
BLACK BOOT
DRESSING

97501

Danner
CLEAR BOOT
DRESSING

97503

Style No	Leather Color	Volume
97111	Black	1.7 oz
97112	Brown	1.7 oz
97113	Clear	1.7 oz
97401	Brown	4 oz
97501	Black	4 oz
97503	Clear	4 oz

- Prevents drying, cracking, scuffs and scratches
- May be used on all leather items, except nubuck or suede
- Sold in sets of 12

WOMEN'S BOOT SIZE CONVERSIONS

Men's Size	3	3 ½	4	4 ½	5	5 ½	6	6 ½	7	7 ½	8	8 ½	9	9 ½	10
Women's Size	5	5 ½	6	6 ½	7	7 ½	8	8 ½	9	9 ½	10	10 ½	11	11 ½	12

RECRAFTING: BOOT REPAIR SERVICES

// STITCHDOWN

BEFORE RECRAFTING

AFTER RECRAFTING

When you invest in a pair of stitchdown Danner® boots, you're getting the most durable, long-lasting footwear available. Over time, when they do begin to wear, Danner is proud to offer recrafting services to extend the life of your boots.

From simple part replacement to restitching seams to major overhauls, Danner can provide repair services so your boots can go even farther. Turnaround time varies, depending on the season and scope of work needed.

Unfortunately, not all Danner boots can be recrafted. They must have a stitchdown, not cement, construction. If there is a tear or hole in the leather, Danner is unable to recraft that boot. If you are unsure if your boot qualifies, please contact us at recrafting@danner.com or visit danner.com/recrafting.

RECRAFTABLE

GORE-TEX offers breathable, comfortable waterproof protection across a wide range of outdoor activities.

CROSSTECH® liner by W. L. Gore is waterproof, breathable and protects against blood-borne pathogens.

Vibram® is recognized worldwide as the leader in high-performance outsoles.

A specialized Vibram® Dri-Ice™ compound in the outsole remains flexible even in extreme cold for superior traction.

Thinsulate™ and Thinsulate™ Ultra Insulation are high-performance insulations that keep you warm without bulk and continue to insulate even when wet.

SOCIAL MEDIA

www.facebook.com/danner1932

www.instagram.com/dannerboots
@dannerboots

www.x.com/danner
@danner

www.youtube.com/danner1932

Danner®
- EST. 1932 -

DANNER, INC.
17634 N.E. Airport Way • Portland, Oregon 97230-4975
800-345-0430 • 503-251-1100 • 503-251-1119 FAX
danner.com • info@danner.com

Danner, Inc.
NO. A3026
ISO 9001: 2008
CERTIFIED

CONTRACT HOLDER
General Services Administration

Danner, Inc.
Contract Number: GS-07F-0077H
DUNS: 009028903
CAGE Code: 63887
NAICS Code: 316213

Call or email Danner, Inc. for immediate GSA quote and product availability.

Danner®, ACADIA®, Danner Bob®, Cross-Hiker, Airthotic®, TERRA FORCE® and TERRA FORCE® X (TFX) are registered trademarks of Danner, Inc. TF, the TF logo and Striker® are trademarks of Danner, Inc. GORE-TEX, GORE-TEX CROSSTECH®, GTX®, Guaranteed to Keep You Dry and the Diamond logo are registered trademarks of W.L. Gore and Associates, Inc. Thinsulate™ and Thinsulate Ultra™ are trademarks of 3M. Vibram® is a registered trademark of Vibram S.p.A. of Italy.

© 2024 Danner, Inc. All Rights Reserved